









| Item  | Picture  | Specification & Feature   | Packing & UCC   |
|---|--|---|---|
| S2700<br>   |                     | <p>FOR: IPHONE, other mobile phones, IPOD, Mp3/4, digital camera etc.</p> <p>Input Voltage: 5V.<br/>Input Current: 500 mA(Max)<br/>Solar Input Voltage: 5.5V<br/>Solar Input Current: 150mA<br/>Output Voltage: 5V and 5.5 V, it is able to detect it automatically<br/>Output Current: 500 mA( MAX)<br/>Capacity: 2700 mAh</p> <p>Features:<br/>1. Solar and Li-Polymer battery charger mix the fashion life with utility;<br/>2. Super power support your devices;<br/>3. Adopt intelligent chip, support overcharge/discharge/overload and short circuit protection.</p> | <p>blister packing<br/>QTY/CTN:<br/>N.W./CTN:<br/>G.W./CTN:<br/>MEAS:</p> <p>Unit Size:<br/>13.4*6.9*1.5 mm<br/>Unit Weight: 200g</p> <p>UCC:<br/>842030-12700-7</p>  |
| S1500<br> |                    | <p>FOR: IPHONE, other mobile phones, IPOD, Mp3/4, digital camera etc.</p> <p>Input Voltage: 5 V<br/>Input Current: 350 mA<br/>Solar Input Voltage: 5.5V<br/>Solar Input Current: 50mA<br/>Output Voltage: 5V<br/>Output Current: 500mA<br/>Capacity: 1450 mAh</p> <p>Features:<br/>1. Solar and Li-Polymer battery charger mix the fashion life with utility;<br/>2. Light body, easily carried and charge;<br/>3. Adopt intelligent chip, support overcharge/discharge/overload and short circuit protection.</p>  | <p>blister packing<br/>QTY/CTN: 40 pcs<br/>N.W./CTN: 6.8 kg<br/>G.W./CTN: 7.6 kg<br/>MEAS:<br/>32.2*25.2*26.5 cm<br/>Unit Size:<br/>10.2*5.5*1.5 mm<br/>Unit Weight: 104 g</p> <p>UCC:<br/>842030-11500-4</p> |
| XP1-4200  |                   | <p>For mobile phone etc.</p> <p>Input Voltage: 5V.<br/>Input Current: 500 mA(Max)<br/>Output Voltage : 5V and 5.6 V, it is able to detect it automatically<br/>Output Current: 500 mA( MAX)<br/>Capacity: 4200 mAh</p> <p>Features:<br/>1. Li-ion battery with super compatibility and utility;<br/>2. Adopt intelligent chip, support overcharge/discharge/overload and short circuit protection.</p>  | <p>PVC box<br/>QTY/CTN: 30 pcs<br/>N.W./CTN: 6.5 kg<br/>G.W./CTN: 7.2 kg<br/>MEAS:<br/>37.5*26*21.6 cm<br/>Unit Size:<br/>92.9*41.9*23.15 mm<br/>Unit Weight: 120 g</p> <p>UCC:<br/>842030-04200-3</p>        |
| XP1-3000  | <b>VTB-02</b><br> | <p>FOR: IPHONE, other mobile phones, IPOD, Mp3/4, digital camera etc.</p> <p>Input Voltage: 5V.<br/>Input Current: 500 mA(Max)<br/>Output Voltage: 5V and 5.6 V, it is able to detect it automatically<br/>Output Current: 500 mA( MAX)<br/>Capacity: 3000 mAh</p> <p>Features:<br/>1. Li-Polymer battery with super power and compatibility;<br/>2. Fashion aluminum alloy housing suit for best gifts;<br/>3. Adopt intelligent chip, support overcharge/discharge/overload and short circuit protection.</p>   | <p>EVA bag<br/>QTY/CTN:<br/>N.W./CTN:<br/>G.W./CTN:<br/>MEAS:</p> <p>Unit Size:<br/>76.1*61.2*15.2 mm<br/>Unit Weight: 130 g</p> <p>UCC:<br/>842030-03000-0</p>   |

|   |   |   |   |
|---|---|---|---|
| <p>XP1-6000</p> <p><b>Ipad charger</b></p>        |     | <p>Especially for <b>IPAD</b>,also other mobile phone etc.</p> <p>Input Voltage: 5V<br/> Input Current: 500 mA(Max)<br/> Output Voltage : 5V and 5.6 V, it is able to detect it automatically<br/> Output Current: 500 mA<br/> Capacity: 6000 mAh</p> <p>Features:<br/> 1.Li-Polymer battery with super power can charge IPAD especially;<br/> 2.Fashion aluminum alloy housing suit for best gifts;<br/> 3.Adopt intelligent chip,support overcharge/discharge/overload and short circuit protection.<br/> 4.Easily-carried EVA bag.</p> | <p>EVA bag<br/> QTY/CTN:<br/> N.W./CTN:<br/> G.W./CTN:<br/> MEAS:</p> <p>Unit Size:<br/> 114 61.2*15.4 mm<br/> Unit Weight:200 g</p> <p>UCC:<br/> 842030-06000-7</p>                                    |
| <p>XP1-9000</p> <p><b>Ipad charger</b></p>        |    | <p>For <b>IPAD</b>,mobile phone etc.</p> <p>Input Voltage: 5V<br/> Input Current: 800mAh (Max).<br/> Output current: 2.2A (Max).<br/> Output voltage: 5V,/6V.<br/> Capacity: 9000mAh.</p> <p>Features:<br/> 1.Li-ion battery with super power charge IPAD especially;<br/> 2.Fashion aluminum alloy housing and easily-carried bag for best gifts;<br/> 3.Adopt intelligent chip,support overcharge/discharge/overload and short circuit protection.</p>  | <p>EVA bag<br/> QTY/CTN: 24 pcs<br/> N.W./CTN:10.3 kg<br/> G.W./CTN:11.3 kg<br/> MEAS:<br/> 49*29.5*20 cm<br/> Unit Size:<br/> 96*41*41mm<br/> Unit Weight: 290 g</p> <p>UCC:<br/> 842030-09000-4</p>   |
| <p>XP1-9000 Plus</p> <p><b>Laptop charger</b></p> |   | <p>Especially for <b>LAPTOP</b>,also mobile phone etc.</p> <p>Input Voltage: 12~22V<br/> Input Current: 1A (Max).<br/> Output Current: 3A (Max).<br/> Output Voltage: 5V, 9V, 12V, 16V and 19V.<br/> Capacity: 10000mAh.</p> <p>Features:<br/> 1.Li-ion battery with super power charge many kinds of laptop;<br/> 2.Best gifts with fashion aluminum alloy housing;<br/> 3.Adopt intelligent chip,support overcharge/discharge/overload and short circuit protection.</p>  | <p>EVA bag<br/> QTY/CTN: 10 pcs<br/> N.W./CTN: 8.8 kg<br/> G.W./CTN: 9.8 kg<br/> MEAS:<br/> 34*23*37 cm<br/> Unit Size:<br/> 155*40*40 mm<br/> Unit Weight:</p> <p>UCC:<br/> 842030-90001-3</p>         |
| <p>W3400</p> <p><b>wireless</b></p>               |  | <p>Pin touch wireless charge iPhone 4,USB port charge other mobile phones...</p> <p>Input Voltage: 5V.<br/> Input Current: 800 mA(Max)<br/> Output Voltage : 5V<br/> Output Current: 2A( MAX)<br/> Capacity: 3400mAh<br/> USB output voltage: 5V<br/> USB output current: 2A</p> <p>Features:<br/> 1.Higher efficiency than induction wireless charger.<br/> 2.can charge 2 iPhone 4 together<br/> 3.Portable charged design.</p>   | <p>color box<br/> QTY/CTN: 10 pcs<br/> N.W./CTN: 3.8 kg<br/> G.W./CTN: 4.4 kg<br/> MEAS:<br/> 28*21*33 cm<br/> Unit Size:<br/> 160*110*15 mm<br/> Unit Weight:155 g</p> <p>UCC:<br/> 842030-23400-2</p> |

|   |   |  |
|---|---|--|
| <p>W2700</p>  <p><b>wireless</b></p>  | <p>Pin touch wireless charge iPhone 4,USB port charge other mobile phones...</p> <p>Input Voltage: 5V.<br/> Input Current: 800 mA(Max)<br/> Output Voltage : 5V<br/> Output Current: 500 mA( MAX)<br/> Capacity: 2700mAh<br/> USB output voltage: 5V<br/> USB output current:500 mAH</p> <p>Features:</p> <ol style="list-style-type: none"> <li>1.Higher efficiency than induction wireless charger.</li> <li>2.Portable charger design.It can accompany with you in your whole trip, home,office or anywhere you like.</li> </ol>   | <p>color box<br/> QTY/CTN: 20 pcs<br/> N.W./CTN: 5.8 kg<br/> G.W./CTN: 6.4 kg<br/> MEAS:<br/> 32.5*19.5*33.5 cm<br/> Unit Size:<br/> 130*66*14.5 mm<br/> Unit Weight:120 g</p> <p>UCC:<br/> 842030-22700-4</p> |
| <p>W9000</p>  <p><b>wireless</b></p> | <p>Induction wireless charge Iphone 3G/3GS,USB port charge other mobile phones or other digital devices.</p> <p>USB output voltage: 5V.<br/> USB output current: 1A(Max)<br/> Wireless output voltage: 5V<br/> Wireless output current: 700mA<br/> Input voltage: 18.5V<br/> Input current: 1.5V<br/> Capacity: 9000mAh<br/> support full power to iPhone for 3~4 times.</p> <p><b>Parts:</b>a charger,AC adaptor,a Receiver</p> <p><b>Features:</b></p> <ol style="list-style-type: none"> <li>1.It is portable and can charge your phone anytime anywhere.</li> <li>2.Super capacity give enough power to your phone.</li> <li>3.Adopt intelligent chip to protect this device and your phone.</li> </ol> | <p>color box<br/> QTY/CTN: 10 pcs<br/> N.W./CTN: 8.1 kg<br/> G.W./CTN: 9.1 kg<br/> MEAS:<br/> 34*23*44 cm<br/> Unit Size:<br/> 150*100*25 mm<br/> Unit Weight: 541g</p> <p>UCC:<br/> 842030-29000-8</p>        |