









## XP1Power Chargers

Xmultiple Technologies, Inc

Date: 4/13/2011

Item	Picture	Specification & Feature	Packing & UCC
S2700 		<p>FOR: IPHONE, other mobile phones, IPOD, Mp3/4, digital camera etc.</p> <p>Input Voltage: 5V. Input Current: 500 mA(Max) Solar Input Voltage: 5.5V Solar Input Current: 150mA Output Voltage: 5V and 5.5 V, it is able to detect it automatically Output Current: 500 mA( MAX) Capacity: 2700 mAh</p> <p>Features: 1. Solar and Li-Polymer battery charger mix the fashion life with utility; 2. Super power support your devices; 3. Adopt intelligent chip, support overcharge/discharge/overload and short circuit protection.</p>	<p>blister packing QTY/CTN: N.W./CTN: G.W./CTN: MEAS:</p> <p>Unit Size: 13.4*6.9*1.5 mm Unit Weight: 200g</p> <p>UCC: 842030-12700-7</p>
S1500 		<p>FOR: IPHONE, other mobile phones, IPOD, Mp3/4, digital camera etc.</p> <p>Input Voltage: 5 V Input Current: 350 mA Solar Input Voltage: 5.5V Solar Input Current: 50mA Output Voltage: 5V Output Current: 500mA Capacity: 1450 mAh</p> <p>Features: 1. Solar and Li-Polymer battery charger mix the fashion life with utility; 2. Light body, easily carried and charge; 3. Adopt intelligent chip, support overcharge/discharge/overload and short circuit protection.</p>	<p>blister packing QTY/CTN: 40 pcs N.W./CTN: 6.8 kg G.W./CTN: 7.6 kg MEAS: 32.2*25.2*26.5 cm Unit Size: 10.2*5.5*1.5 mm Unit Weight: 104 g</p> <p>UCC: 842030-11500-4</p>
XP1-4200		<p>For mobile phone etc.</p> <p>Input Voltage: 5V. Input Current: 500 mA(Max) Output Voltage : 5V and 5.6 V, it is able to detect it automatically Output Current: 500 mA( MAX) Capacity: 4200 mAh</p> <p>Features: 1. Li-ion battery with super compatibility and utility; 2. Adopt intelligent chip, support overcharge/discharge/overload and short circuit protection.</p>	<p>PVC box QTY/CTN: 30 pcs N.W./CTN: 6.5 kg G.W./CTN: 7.2 kg MEAS: 37.5*26*21.6 cm Unit Size: 92.9*41.9*23.15 mm Unit Weight: 120 g</p> <p>UCC: 842030-04200-3</p>
XP1-3000	<b>VTB-02</b> 	<p>FOR: IPHONE, other mobile phones, IPOD, Mp3/4, digital camera etc.</p> <p>Input Voltage: 5V. Input Current: 500 mA(Max) Output Voltage: 5V and 5.6 V, it is able to detect it automatically Output Current: 500 mA( MAX) Capacity: 3000 mAh</p> <p>Features: 1. Li-Polymer battery with super power and compatibility; 2. Fashion aluminum alloy housing suit for best gifts; 3. Adopt intelligent chip, support overcharge/discharge/overload and short circuit protection. 4. Easily-carried EVA bag.</p>	<p>EVA bag QTY/CTN: N.W./CTN: G.W./CTN: MEAS:</p> <p>Unit Size: 76.1*61.2*15.2 mm Unit Weight: 130 g</p> <p>UCC: 842030-03000-0</p>

<p>XP1-6000</p> <p><b>Ipad charger</b></p>		<p>Especially for <b>IPAD</b>,also other mobile phone etc.</p> <p>Input Voltage: 5V  Input Current: 500 mA(Max)  Output Voltage : 5V and 5.6 V , it is able to detect it automatically  Output Current: 500 mA  Capacity: 6000 mAh</p> <p>Features:  1.Li-Polymer battery with super power can charge IPAD especially;  2.Fashion aluminum alloy housing suit for best gifts;  3.Adopt intelligent chip,support overcharge/discharge/overload and short circuit protection.  4.Easily-carried EVA bag.</p>	<p>EVA bag  QTY/CTN:  N.W./CTN:  G.W./CTN:  MEAS:  Unit Size:  114 61.2*15.4 mm  Unit Weight:200 g</p> <p>UCC:  842030-06000-7</p>
<p>XP1-9000</p> <p><b>Ipad charger</b></p>		<p>For <b>IPAD</b>,mobile phone etc.</p> <p>Input Voltage: 5V  Input Current: 800mAh (Max).  Output current: 2.2A (Max).  Output voltage: 5V,/6V.  Capacity: 9000mAh.</p> <p>Features:  1.Li-ion battery with super power charge IPAD especially;  2.Fashion aluminum alloy housing and easily-carried bag for best gifts;  3.Adopt intelligent chip,support overcharge/discharge/overload and short circuit protection.</p>	<p>EVA bag  QTY/CTN: 24 pcs  N.W./CTN:10.3 kg  G.W./CTN:11.3 kg  MEAS:  49*29.5*20 cm  Unit Size:  96*41*41mm  Unit Weight: 290 g</p> <p>UCC:  842030-09000-4</p>
<p>XP1-9000 Plus</p> <p><b>Laptop charger</b></p>		<p>Especially for <b>LAPTOP</b>,also mobile phone etc.</p> <p>Input Voltage: 12~22V  Input Current: 1A (Max).  Output Current: 3A (Max).  Output Voltage: 5V, 9V, 12V, 16V and 19V.  Capacity: 10000mAh.</p> <p>Features:  1.Li-ion battery with super power charge many kinds of laptop;  2.Best gifts with fashion aluminum alloy housing;  3.Adopt intelligent chip,support overcharge/discharge/overload and short circuit protection.</p>	<p>EVA bag  QTY/CTN: 10 pcs  N.W./CTN: 8.8 kg  G.W./CTN: 9.8 kg  MEAS:  34*23*37 cm  Unit Size:  155*40*40 mm  Unit Weight:</p> <p>UCC:  842030-90001-3</p>
<p>W3400</p> <p><b>wireless</b></p>		<p>Pin touch wireless charge iPhone 4,USB port charge other mobile phones...</p> <p>Input Voltage: 5V.  Input Current: 800 mA(Max)  Output Voltage : 5V  Output Current: 2A( MAX)  Capacity: 3400mAh  USB output voltage: 5V  USB output current: 2A</p> <p>Features:  1.Higher efficiency than induction wireless charger.  2.can charge 2 iPhone 4 together  3.Portable chargedr design.</p>	<p>color box  QTY/CTN: 10 pcs  N.W./CTN: 3.8 kg  G.W./CTN: 4.4 kg  MEAS:  28*21*33 cm  Unit Size:  160*110*15 mm  Unit Weight:155 g</p> <p>UCC:  842030-23400-2</p>

<p>W2700</p> 		<p>Pin touch wireless charge iPhone 4,USB port charge other mobile phones...</p> <p>Input Voltage: 5V.  Input Current: 800 mA(Max)  Output Voltage : 5V  Output Current: 500 mA( MAX)  Capacity: 2700mAh  USB output voltage: 5V  USB output current:500 mAh</p> <p>Features:  1.Higher efficiency than induction wireless charger.  2.Portable charger design.It can accompany with you in your whole trip, home,office or anywhere you like.</p>	<p>color box  QTY/CTN: 20 pcs  N.W./CTN: 5.8 kg  G.W./CTN: 6.4 kg  MEAS:  32.5*19.5*33.5 cm  Unit Size:  130*66*14.5 mm  Unit Weight:120 g</p> <p>UCC:  842030-22700-4</p>
<p>W9000</p> 		<p>Induction wireless charge Iphone 3G/3GS,USB port charge other mobile phones or other digital devices.</p> <p>USB output voltage: 5V.  USB output current: 1A(Max)  Wireless output voltage: 5V  Wireless output current: 700mA  Input voltage: 18.5V  Input current: 1.5V  Capacity: 9000mAh  support full power to iPhone for 3~4 times.</p> <p><b>Parts:</b>a charger,AC adaptor,a Receiver</p> <p><b>Features:</b>  1.It is portable and can charge your phone anytime anywhere.  2.Super capacity give enough power to your phone.  3.Adopt intelligent chip to protect this device and your phone.</p>	<p>color box  QTY/CTN: 10 pcs  N.W./CTN: 8.1 kg  G.W./CTN: 9.1 kg  MEAS:  34*23*44 cm  Unit Size:  150*100*25 mm  Unit Weight: 541g</p> <p>UCC:  842030-29000-8</p>